

Revision Date : 1.November 2018
Date of first issue : 26.July 2010
SDS Number : F-01906

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MX-23GT-CA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Reprographic agents (Toner)

1.3 Details of the supplier of the safety data sheet

Company : SHARP Manufacturing France S.A.

Route de Bollwiller, 68360 Soultz, Haut Rhin, France

Telephone : +49 40 2376-0

E-mail address of person : compliance@sharp.eu

responsible for the SDS

1.4 Emergency telephone number

+49 40 2376-2525 (from 9:00 to 17:00 CET/CEST, English, German Only)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not Classified as hazardous

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : None
Signal word : None
Hazard statements : None
Precautionary statements : None

2.3 Other hazards

Potential dust explosion hazard.



Revision Date : 1.November 2018
Date of first issue : 26.July 2010
SDS Number : F-01906

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components							
Chemical Name			Classification	Concentration			
	CAS-No.	EC-No.	(REGULATION	(%)			
			(EC) No1272/2008)				
Polyester resin	Confidential	Confidential	Not classified	70-80			
Polystyrene resin	Confidential	Confidential	Not classified	5-10			
Organic pigment	Confidential	Confidential	Not classified	1-5			
Paraffin waxes and Hydrocarbon	8002-74-2	232-315-6	Not classified	1-5			
waxes	0002-74-2	232-313-0					
Silicon dioxide	7631-86-9	231-545-4	Not classified	1-5			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : Remove contaminated clothing and shoes.

Get medical attention if irritation develops and persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SHARP

SAFETY DATA SHEET

Revision Date : 1.November 2018
Date of first issue : 26.July 2010
SDS Number : F-01906

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.

Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to

do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if it is safe to do so.

Retain and dispose of contaminated water.

Local authorities should be advised if significant spillages

cannot be contained.



Revision Date : 1.November 2018
Date of first issue : 26.July 2010
SDS Number : F-01906

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on

surfaces, as these may form an explosive mixture if they are

released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and

disposal of this material, as well as those materials and items

employed in the cleanup of releases.

You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Advice on safe handling : Do not breathe dust. Do not swallow. Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety

practice. Keep container tightly closed.

Minimize dust generation and accumulation.

Keep away from heat and sources of ignition.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep tightly closed. Keep in a cool, well-ventilated place.

areas and containers

Be stored in accordance with the particular national regulations.



Revision Date : 1.November 2018
Date of first issue : 26.July 2010
SDS Number : F-01906

Advice on common storage : Do not be stored together with the following product types:

Strong oxidizing agents

Organic peroxides

Explosives

Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Paraffin waxes and Hydrocarbon waxes	8002-74-2	TWA (Fumes)	2 mg/m3	GB EH40
		STEL (Fumes)	6 mg/m3	GB EH40
Silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
		TWA (Respirable dust)	2.4 mg/m3 (Silica)	GB EH40

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Personal protective equipment

Eye protection : Not required under intended use
Hand protection : Not required under intended use
Skin and body protection : Not required under intended use
Respiratory protection : Not required under intended use

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Powder Colour : Blue

Odour : Odourless

Odour Threshold : No data available pH : No data available

Melting point/freezing point : 100 - 130 °C

Initial boiling point and boiling range : No data available
Flash point : Not applicable
Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

SHARP

SAFETY DATA SHEET

Revision Date : 1.November 2018
Date of first issue : 26.July 2010
SDS Number : F-01906

Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : Not applicable
Relative vapour density : Not applicable
Density : ca. 1,2 g/cm3
Bulk density : ca. 0,4 g/cm3

Solubility(ies)

Water solubility : Negligible

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust can form an explosive mixture in the air.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation

Skin contact Ingestion

Eye contact

SHARP

SAFETY DATA SHEET

Revision Date : 1.November 2018
Date of first issue : 26.July 2010
SDS Number : F-01906

Acute toxicity

Acute oral toxicity : LD50 : > 2000 mg/kgAcute inhalation toxicity : LC50 : > 5.0 mg/l

Skin corrosion/irritation

No skin irritation

Serious eye damage/eye irritation

No eye irritation

Respiratory or skin sensitisation

No sensitization

Germ cell mutagenicity

AMES : negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

Not relevant

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish : LC50: > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic : EC50: > 100 mg/l

invertebrates Exposure time: 48 h

Toxicity to algae : EC50: > 100 mg/l

Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



Revision Date : 1.November 2018
Date of first issue : 26.July 2010
SDS Number : F-01906

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of it in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of it as an unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number : None

14.2 UN proper shipping name : None

14.3 Transport hazard class(es) : None

14.4 Packing group : None

14.5 Environmental hazards : None

14.6 Special precautions for user : Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament : Not applicable

and the Council concerning the export and import of

dangerous chemicals

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that deplete : Not applicable

the ozone layer

Regulation (EC) No 850/2004 on persistent organic pollutants: Not applicable

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.



Revision Date : 1.November 2018
Date of first issue : 26.July 2010
SDS Number : F-01906

SECTION 16: Other information

Full text of other abbreviations

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

Further information

Sources of key data used to compile : Internal technical data, data from raw material SDSs, OECD

the Safety Data Sheet eChem Portal search results and European Chemicals

Agency,http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.